

10/25/00
JC685 U.S. PTO

LAW OFFICES
SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC
2100 PENNSYLVANIA AVENUE, N.W.
WASHINGTON, DC 20037-3213
TELEPHONE (202) 293-7060
FACSIMILE (202) 293-7860
www.sughrue.com

October 25, 2000

JC685 U.S. PTO
09/695141
10/25/00

BOX PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

Re: Hideo SHIMAZU
SATELLITE BROADCASTING SYSTEM
CAPABLE OF DESIGNATING AREAS
FOR BROADCASTING PROGRAM AND SATELLITE BROADCASTING
RECEPTION APPARATUS
Our Ref. Q61419

Dear Sir:


Attached hereto is the application identified above including 18 sheets of the specification, claims, 3 sheets of formal drawings, executed Assignment and PTO 1595 form, and executed Declaration and Power of Attorney.

The Government filing fee is calculated as follows:

Total claims	4 - 20	=		x	\$18.00	=	\$0.00
Independent claims	1 - 3	=	1	x	\$80.00	=	\$80.00
Base Fee							\$710.00
TOTAL FILING FEE							\$790.00
Recordation of Assignment							\$40.00
TOTAL FEE							\$830.00

Checks for the statutory filing fee of \$790.00 and Assignment recordation fee of \$40.00 are attached. You are also directed and authorized to charge or credit any difference or overpayment to Deposit Account No. 19-4880. The Commissioner is hereby authorized to charge any fees under 37 C.F.R. §§ 1.16 and 1.17 and any petitions for extension of time under 37 C.F.R. § 1.136 which may be required during the entire pendency of the application to Deposit Account No. 19-4880. A duplicate copy of this transmittal letter is attached.

Priority is claimed from October 28, 1999 based on Japanese Application No. 11-307560. The priority documents is enclosed herewith.

Respectfully submitted,
SUGHRUE, MION, ZINN,
MACPEAK & SEAS, PLLC
Attorneys for Applicant
By: 
J. Frank Osha
Registration No. 24,625

SATELLITE BROADCASTING SYSTEM CAPABLE OF
DESIGNATING AREAS FOR BROADCASTING PROGRAM AND
SATELLITE BROADCASTING RECEPTION APPARATUS

5

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates to a satellite broadcasting
system and a satellite broadcasting reception apparatus for
digital satellite broadcasting provided to users of cars, and
10 more particularly to a satellite broadcasting system and a
satellite broadcasting reception apparatus by which selective
reception of digital satellite broadcasting is allowed.

Description of the Related Art

Digital satellite broadcasting is being popularized in
15 various countries including Japan and the United States.

One of significant differences of digital satellite
broadcasting from ground wave broadcasting is that simultaneous
broadcasting over a wide area is possible. The overall land
of Japan can be covered only by a single satellite, and also
20 the overall land of the United States is covered by a small
number of satellites. On the other hand, if it is tried to
cover the overall land of Japan using ground wave broadcasting,
then since the ground wave broadcasting must be repeated by
local related broadcasting stations, a very high maintenance
25 cost is required. The difference in cost is significant
particularly where an advertisement is broadcast. Where an

005204-1156360

image advertisement of a large corporation wherein the same contents are advertised over the overall land is involved, the cost is lower where satellite broadcasting is used.

Meanwhile, an advertisement is sometimes different in significance depending upon a district. For example, when it is desired to broadcast an advertisement (CM) of goods for a snowy district in a snowy district, there is no meaning if the advertisement is broadcast in Okinawa in which it does not snow. Further, it is impossible for a local minor maker to pay the fare for a CM to be broadcast over the overall country, and where a distribution channel is not developed except the district of the maker, it is considered sufficient if the CM is broadcast only in the district.

Further, in such a nation in which the authorities of local governments are strong such as the United States, contents which can be advertised may be different among different states. For example, advertisement of liquors may be prohibited in some state, or advertisement of guns may be inhibited in another state. In such a case, since a broadcasting station cannot broadcast an advertisement of liquors in a state in which advertisement of liquors is prohibited, it is necessary to segment the nation into several districts and apply different advertisement contents to the districts. Ground wave broadcasting is suitable for such advertisement.

In this manner, while satellite broadcasting is convenient where the same CM or the same broadcasting contents

are to be broadcast all at once over the overall nation, it cannot be broadcast in different contents to segmented districts of the nation. Naturally, digital satellite broadcasting makes it possible to allocate different channels to different districts because a greater number of channels than that which can be assured by analog broadcasting can be assured by digital compression. However, this is wasteful in that a plurality of channels are used wastefully. For example, in the United State, if a broadcasting area is segmented in a unit of a state, then one channel is allocated to each state, and 50 channels are required for the 50 states. Since broadcasting of the 50 channels is broadcast over the overall nation, some waste occurs.

SUMMARY OF THE INVENTION

It is an object of the present invention to provide a satellite broadcasting system and a satellite broadcasting reception apparatus wherein, when a broadcasting program is broadcast by satellite broadcasting, each viewer can receive a different broadcasting program depending upon the district in which the viewer is present.

One of viewers who most enjoys the profit provided by the satellite broadcasting system and the satellite broadcasting reception apparatus of the present invention might be a driver who moves on a car. The satellite broadcasting system and the satellite broadcasting reception apparatus of the present invention realize that, for example, if a driver

moves from a certain state into another state of the United States on a car, then since different laws apply in the latter state, an advertisement (for example, an "advertisement of liquors") which might have been enjoyed in the former state cannot be enjoyed any more in the new state.

In order to attain the object described above, according to the present invention, there is provided a satellite broadcasting system for broadcasting a broadcasting program to be broadcast all at once to many and unspecified apparatus over a wide range through a satellite, comprising a transmission apparatus, and at least one reception apparatus, the transmission apparatus including means for multiplexing an area designation part and a contents part to produce the broadcasting program, and means for transmitting the broadcasting program; the reception apparatus including a radio wave reception section for receiving a broadcasting program, a current position acquisition section for detecting a current position of the reception apparatus, an area to physical district coordination table including pairs of information each of which represents an area name and a physical district of the area name, a current area detection section for searching for an area name which includes the current position detected by the current position acquisition section from within the area to physical district coordination table and outputting the searched out area name, a broadcasting propriety discrimination section for comparing the area name outputted from the current area detection section

and the area designation part of the broadcasting program received from the radio wave reception section with each other and outputting the contents part of the broadcasting program or refraining the broadcasting propriety discrimination section itself from outputting the contents part of the broadcasting program when the area name is included in the area designation part, and a reproduction section for receiving and reproducing the contents part of the broadcasting program outputted from the broadcasting propriety discrimination section.

The satellite broadcasting system is advantageous in that the broadcasting station side can designate only in which areas a broadcasting program to be sent from the broadcasting side should be enjoyed. Conventionally, such measures as to restrict viewers as just described are not taken because it is desired that a broadcasting program is enjoyed by people as many as possible. The satellite broadcasting system of the present invention is advantageous specifically in that, for example, where such mandatory control that "an advertisement of liquors must not be broadcast as a CM in the ABC state" is legally applicable, it is possible to realize it for the broadcasting station side to broadcast broadcasting contents in segmented areas while digital satellite broadcasting which is broadcast uniformly over a wide area is used.

The above and other objects, features and advantages of the present invention will become apparent from the following description and the appended claims, taken in conjunction with

the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a flow diagram showing a satellite broadcasting
5 system to which the present invention is applied;

FIG. 2 is a flow diagram illustrating a concept of the
satellite broadcasting system of FIG. 1; and

FIG. 3 is a diagrammatic view showing an example of contents
of an area designation part of a broadcasting program used in
10 the satellite broadcasting system of FIG. 1.

DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring first to FIG. 2, there is illustrated a concept
of a satellite broadcasting system to which the present invention
15 is applied. A broadcasting program originated from a
broadcasting station and broadcast toward the ground from an
artificial satellite includes information representative of
areas in addition to broadcasting contents, and a receiver owned
by each viewer reproduces, only when the current position of
20 the owner of the receiver is included in the information
representative of the areas, corresponding contents. For
example, when the owner of the receiver is in the area Y shown
in FIG. 2, only that one or ones of broadcasting programs which
include the area Y in the information representative of the
25 areas therein (in FIG. 2, only contents of the second broadcasting
program from above can be reproduced by the receiver of the

owner in the area Y).

Referring now to FIG. 1, there is shown a construction of a satellite broadcasting system to which the present invention is applied. The satellite broadcasting system includes a transmitter 1a of a broadcasting station 1 for satellite
5 broadcasting and at least for one receiver 5 for receiving the satellite broadcasting from the broadcasting station 1. The transmitter 1a of the broadcasting station 1 multiplexes an area designation part 3 and a contents part 4 to produce a
10 broadcasting program 2 and transmits the broadcasting program 2 as a radio wave toward a satellite.

The broadcasting program 2 includes the area designation part 3 in which a list of areas in which the broadcasting program 2 is to be broadcast and the contents part 4 in which broadcasting
15 contents themselves are accommodated, and is produced by multiplexing the area designation part 3 and the contents part 4 by means of the transmitter 1a in the broadcasting station 1.

The receiver 5 includes a radio wave reception section
20 6 for receiving the broadcasting program 2 sent from the broadcasting station 1 through the satellite, a current position acquisition section 7 for detecting the current position of the receiver 5, an area to physical district coordination table
9 including pairs of information each of which includes
25 representations of an area name and a physical district of the area name, a current area detection section 8 for receiving

the current position outputted from the current position acquisition section 7 and finding out and outputting an area name in which the current position is included from within the area to physical district coordination table 9, a broadcasting propriety discrimination section 10 for receiving the area name outputted from the current area detection section 8 and the area designation part 3 in the broadcasting program 2 received from the radio wave reception section 6 and outputting, if the area name is included in the area designation part 3, the contents part 4 of the broadcasting program 2, whereas it does not output anything if the area name is not included in the area designation part 3, and a reproduction section 11 for receiving and reproducing the contents part 4 of the broadcasting program 2 outputted from the broadcasting propriety discrimination section 10.

The broadcasting propriety discrimination section 10 may be constructed reversely such that, if the area name is included in the area designation part 3, then the contents part 4 of the broadcasting program 2 is not outputted, but if the area name is not included in the area designation part 3, then the contents part 4 of the broadcasting program 2 is outputted. In other words, the area designation part 3 of the broadcasting program 2 may conversely include names of areas in which the broadcasting program 2 should not be broadcast.

The broadcasting station 1 can be constructed from equipments for ordinary digital satellite broadcasting except

only that equipments for multiplexing the area designation part 3 and the contents part 4 are additionally required. The area designation part 3 describes only those areas in which the broadcasting may be broadcast as seen in FIG. 1 (or conversely should be prohibited). For example, in FIG. 1, it can be seen that a CM "For the growth of a dear child," should be broadcast only in the area B and the area K, and another CM "The liquor a man drinks at midnight" should be broadcast only in the area A, the area C and the area J. The information of the area designation part 3 in which areas in which each broadcasting program should be broadcast are designated is, in an ordinary application form, determined by the broadcasting station side and annexed to the contents part 4.

The contents part 4 accommodates therein contents themselves to be broadcast. The contents themselves may assume a compressed form of voice, sound, image or the like. When the broadcasting program 2 is sent as a radio wave from the broadcasting station 1, the radio wave reception section 6 receives the radio wave.

Independently of the operation of the radio wave reception section 5, the current position acquisition section 7 normally checks the current physical position of the viewer. A typical apparatus which implements such normal checking is the GPS (Global Positioning System) incorporated in car navigation products. Where the GPS is used, the latitude and the longitude of the current position can be measured to accuracy of several

meters.

In the satellite broadcasting system of the present embodiment, the area to physical district coordination table 9 represents an area in the following manner. In particular, the area to physical district coordination table 9 represents an area with a set of plural rectangles of various sizes as seen in FIG. 3. One rectangle is represented by a pair of the latitude and the longitude of the point at the left upper corner of the rectangle and the latitude and the longitude of the point at the right lower corner of the rectangle.

If the current area detection section 8 receives the current latitude and longitude information of the viewer from the current position acquisition section 7, then it refers to the area to physical district coordination table 9 to check to which area the current position of the viewer belongs and then delivers a result of the check to the broadcasting propriety discrimination section 10.

Now, the current position of the viewer is represented by (X_c, Y_c) . Where the latitude and the longitude of the point at the left upper corner of an certain rectangular area are represented by (X_{ul}, Y_{ul}) and the latitude and the longitude of the point at the right lower corner of the rectangular area are represented by (X_{lr}, Y_{lr}) , whether or not the current position of the viewer is included in the rectangular area can be discriminated from whether or not the following expression is satisfied.

$$(X_{ul} > X_c > X_{lr}) \text{ and } (Y_{ul} > Y_c > Y_{lr}) \quad \dots (1)$$

When this expression is not satisfied, the current position of the viewer is not included in this rectangular area.

As seen in FIG. 3, a certain area is usually represented by a set of plural rectangles. Accordingly, in order to determine that the current position of the viewer is included in such a lie of the land as shown in FIG. 3 (in which Hokkaido is shown as an example), the relationship of the expression (1) must be satisfied in one of the rectangles of the set of rectangles which covers Hokkaido. It is to be noted that, while an area in the present embodiment is represented by a set of rectangles, some other representation method may be applicable. For example, also a method is possible wherein an area is represented not by a set of rectangles but by a set of polygons (triangles, squares, pentagons or the like). Accordingly, in the present invention, to set an approximate representation of an area to a set of rectangles is merely for the convenience in architecture of an apparatus, and this does not relate to the essence of the present invention.

The broadcasting propriety discrimination section 10 refers to the area designation part 3 of the received broadcasting program 2 to check whether or not the area in which the viewer is currently present is included in the area designation part 3. If the area is included, then the broadcasting propriety discrimination section 10 delivers the contents of the contents part 4 to the reproduction section 11. If the area is not included,

then the contents part 4 is abandoned.

While a preferred embodiment of the present invention has been described using specific terms, such description is for illustrative purposes only, and it is to be understood that changes and variations may be made without departing from the spirit or scope of the following claims.

What Is Claimed Is:

1. A satellite broadcasting system for broadcasting a broadcasting program to be broadcast all at once to many and unspecified apparatus over a wide range through a satellite,
5 comprising:
 - a transmission apparatus; and
 - at least one reception apparatus;said transmission apparatus including means for multiplexing an area designation part and a contents part to
10 produce the broadcasting program, and means for transmitting the broadcasting program;
 - said reception apparatus including a radio wave reception section for receiving a broadcasting program, a current position acquisition section for detecting a current position of said
15 reception apparatus, an area to physical district coordination table including pairs of information each of which represents an area name and a physical district of the area name, a current area detection section for searching for an area name which includes the current position detected by said current position
20 acquisition section from within said area to physical district coordination table and outputting the searched out area name, a broadcasting propriety discrimination section for comparing the area name outputted from said current area detection section and the area designation part of the broadcasting program
25 received from said radio wave reception section with each other and outputting the contents part of the broadcasting program

when the area name is included in the area designation part,
and a reproduction section for receiving and reproducing the
contents part of the broadcasting program outputted from said
broadcasting propriety discrimination section.

5 2. A satellite broadcasting system for broadcasting a
broadcasting program to be broadcast all at once to many and
unspecified apparatus over a wide range through a satellite,
comprising:

 a transmission apparatus; and
10 at least one reception apparatus;
 said transmission apparatus including means for
multiplexing an area designation part and a contents part to
produce the broadcasting program, and means for transmitting
the broadcasting program;

15 said reception apparatus including a radio wave reception
section for receiving a broadcasting program, a current position
acquisition section for detecting a current position of said
reception apparatus, an area to physical district coordination
table including pairs of information each of which represents
20 an area name and a physical district of the area name, a current
area detection section for searching for an area name which
includes the current position detected by said current position
acquisition section from within said area to physical district
coordination table and outputting the searched out area name,
25 a broadcasting propriety discrimination section for comparing
the area name outputted from said current area detection section

and the area designation part of the broadcasting program received from said radio wave reception section with each other and refraining said broadcasting propriety discrimination section itself from outputting the contents part of the
5 broadcasting program when the area name is included in the area designation part, and a reproduction section for receiving and reproducing the contents part of the broadcasting program outputted from said broadcasting propriety discrimination section.

10 3. A satellite broadcasting reception apparatus, comprising:

 a radio wave reception section for receiving a broadcasting program in which an area designation part and a contents part are multiplexed;

15 a current position acquisition section for detecting a current position of said reception apparatus;

 an area to physical district coordination table including pairs of information each of which represents an area name and a physical district of the area name;

20 a current area detection section for searching for an area name which includes the current position detected by said current position acquisition section from within said area to physical district coordination table and outputting the searched out area name;

25 a broadcasting propriety discrimination section for comparing the area name outputted from said current area

detection section and the area designation part of the
broadcasting program received from said radio wave reception
section with each other and outputting the contents part of
the broadcasting program when the area name is included in the
5 area designation part; and

a reproduction section for receiving and reproducing the
contents part of the broadcasting program outputted from said
broadcasting propriety discrimination section.

4. A satellite broadcasting reception apparatus,
10 comprising:

a radio wave reception section for receiving a
broadcasting program in which an area designation part and a
contents part are multiplexed;

a current position acquisition section for detecting a
15 current position of said reception apparatus;

an area to physical district coordination table including
pairs of information each of which represents an area name and
a physical district of the area name;

a current area detection section for searching for an
20 area name which includes the current position detected by said
current position acquisition section from within said area to
physical district coordination table and outputting the
searched out area name;

a broadcasting propriety discrimination section for
25 comparing the area name outputted from said current area
detection section and the area designation part of the

broadcasting program received from said radio wave reception section with each other and refraining said broadcasting propriety discrimination section itself from outputting the contents part of the broadcasting program when the area name
5 is included in the area designation part; and

a reproduction section for receiving and reproducing the contents part of the broadcasting program outputted from said broadcasting propriety discrimination section.

ABSTRACT OF THE DISCLOSURE

A satellite broadcasting system is disclosed wherein, when a broadcasting program is broadcast by satellite broadcasting, each viewer can receive a different broadcasting program depending upon the district in which the viewer is present. A broadcasting program is composed of an area designation part in which a list of areas in which the broadcasting program is to be broadcast is accommodated and broadcasting contents themselves. The broadcasting program is received by a radio wave reception section. A current position acquisition section detects the current position of a receiver. The current position is compared with an area to physical district coordination table and converted into an area name by a current area detection section. If the area name outputted from the current area detection section is included in the area designation part of the broadcasting program received from the radio wave reception section, then a broadcasting propriety discrimination section outputs the contents part of the broadcasting program to a reproduction section. Alternatively, if the area name is included in the area designation part of the broadcasting program, then the broadcasting propriety discrimination section refrains itself from outputting the contents part of the broadcasting program to the reproduction section.

FIG.1




FIG.2





FIG.3



DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name: that I verily believe I am the original, first and sole inventor (if only one name is listed below) or a joint inventor (if plural names are listed below) of the subject matter claimed and for which a patent is sought in the application entitled:

**SATELLITE BROADCASTING SYSTEM CAPABLE OF DESIGNATING AREAS FOR
BROADCASTING PROGRAM AND SATELLITE BROADCASTING RECEPTION APPARATUS**

which application is:

X the attached application
(for original application)

_____ application Serial No. _____
filed _____, and amended on _____
(for declaration not accompanying application)

that I have reviewed and understand the contents of the specification of the above-identified application, including the claims, as amended by any amendment referred to above; that I acknowledge my duty to disclose information of which I am aware which is material to the patentability of this application under 37 C.F.R. 1.56, that I hereby claim foreign priority benefits under Title 35, United States Code §119, §172 or §365 of any foreign application(s) for patent or inventor's certificate listed below and have also identified on said list any foreign application for patent or inventor's certificate on this invention having a filing date before that of the application on which priority is claimed:

Application Number	Country	Filing Date	Priority Claimed (yes or no)
11-307560	Japan	October 28, 1999	yes

I hereby claim the benefit of Title 35, United States Code §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in a listed prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge my duty to disclose any information material to the patentability of this application under 37 C.F.R. 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Application Serial No.	Filing Date	Status (patented, pending, abandoned)
------------------------	-------------	--


I hereby appoint John H. Mion, Reg. No. 18,879; Donald E. Zinn, Reg. No. 19,046; Thomas J. Macpeak, Reg. No. 19,292; Robert J. Seas, Jr., Reg. No. 21,092; Darryl Mexic, Reg. No. 23,063; Robert V. Sloan, Reg. No. 22,775; Peter D. Olexy, Reg. No. 24,513; J. Frank Osha, Reg. No. 24,625; Waddell A. Biggart, Reg. No. 24,861; Robert G. McMorrow, Reg. No. 19,093; Louis Gubinsky, Reg. No. 24,835; Neil B. Siegel, Reg. No. 25,200; David J. Cushing, Reg. No. 28,703; John R. Inge, Reg. No. 26,916; Joseph J. Ruch, Jr., Reg. No. 26,577; Sheldon I. Landsman, Reg. No. 25,430; Richard C. Turner, Reg. No. 29,710; Howard L. Bernstein, Reg. No. 25,665; Alan J. Kasper, Reg. No. 25,426; Kenneth J. Burchfiel, Reg. No. 31,333; Gordon Kit, Reg. No. 30,764; Susan J. Mack, Reg. No. 30,951; Frank L. Bernstein, Reg. No. 31,484; Mark Boland, Reg. No. 32,197; William H. Mandir, Reg. No. 32,156; Scott M. Daniels, Reg. No. 32,562; Brian W. Hannon, Reg. No. 32,778 and Abraham J. Rosner, Reg. No. 33,276, my attorneys to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith, and request that all correspondence about the application be addressed to **SUGHRUE, MION, ZINN, MACPEAK & SEAS**, 2100 Pennsylvania Avenue, N.W., Washington, D.C. 20037-3202.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Date October 16, 2000

First Inventor Hideo SHIMAZU
First Name Middle Initial Last Name

Residence Tokyo, Japan

Signature Hideo Shimazu 

Post Office Address c/o NEC Corporation,

Citizenship Japanese

7-1, Shiba 5-chome, Minato-ku, Tokyo, Japan